

# AQUAFARER

A blue inflatable boat with an outboard motor is moving across clear, turquoise water. Two people are on board: one in the front wearing an orange life vest, and another in the back wearing a blue patterned shirt and sunglasses. The boat is leaving a white wake. In the background, there are mountains under a clear blue sky.

## INFLATABLE BOATS

AQUAFARER 2027



# INDEX

**INTRODUCTION 04**

**INFLATABLE BOAT 04**

**INFLATABLE CATAMARAN 12**

**INFLATABLE KABOAT 16**

**INFLATABLE KAYAK 20**



**INFLATABLE KAYAK**

**20**



**INFLATABLE RAFT**

**24**

**INFLATABLE BOAT SEAT**

**26**



# INTRODUCTION

Established in 2012, Aquafarer is a dedicated factory and manufacturer specializing in the design and production of high-quality inflatable boats and Rigid Inflatable Boat. Our core strength lies in our in-house manufacturing capabilities, allowing us to maintain stringent quality control throughout every stage of production.




From sourcing durable materials to employing skilled technicians, we ensure that each Aquafarer product meets the highest standards of performance and longevity. As a direct manufacturer, we offer competitive pricing without compromising on quality, providing our partners and customers with exceptional value and reliable inflatable water sports equipment.

BUILT ON THE WATER,

Established in 2012, Aquafarer is a dedicated factory and manufacturer specializing in the design and production of high-quality inflatable boats and Rigid Inflatable Boat. Our core strength lies in our in-house manufacturing capabilities, allowing us to maintain stringent quality control throughout every stage of production.



Our founders, two naval architects, saw an industry where corners were cut, materials were downgraded, and safety was treated as a checkbox. They built the first Aquafarer hull not for profit, but to prove that affordable marine gear could also be genuinely reliable.



That first hull is still in service today. That principle never changed.

We are not the biggest manufacturer. We do not make the cheapest products. But every hull that leaves our workshop passes through the same hands that started the company —and meets the same standard that first hull set.

DRIVEN BY PURPOSE



# INFLATABLE BOAT

*ALUMINUM FLOOR INFLATABLE BOAT*

*HIGH-SPEED INFLATABLE CATAMARAN*

*INFLATABLE RAFT*





BUILT ON THE WATER,

*INFLATABLE KABOAT*

*FULL DROP-STITCH INFLATABLE KAYAK*

*HYBRID INFLATABLE KAYAK*

*INFLATABLE DROP-STITCH BOAT SEAT*

DRIVEN BY PURPOSE



# Aluminum Floor Inflatable Boat



This type of Foldable Sport Inflatable Boat (SIB) with removable hard floorboards (primarily aluminum) represents a highly mature and classic model in the international market.

Currently, main designs and technical innovations of Aquafarer-Inflatable Boat focus on four key dimensions: Floor Systems, Hull & Tube Structure, Material Selection, and Portability & Functional Utility.

## Floor Systems

**Aluminum Floor Boards:** Corrosion-resistant, exceptionally durable, highly rigid, and capable of supporting heavy loads. It is currently the most popular choice for commercial use, fishing, and recreational activities.

**Drop-Stitch / High-Pressure Air Floor:** Reaches a rigidity close to solid wood when inflated, yet can be rolled up directly with the boat hull after deflation, significantly reducing setup time.





PANTONE 4264 C

COLOR SCHEME: PANTONE 421C (Main), PANTONE 425C & PANTONE Black 6C (Accents)

## **Hull & Tube Designs**

**Inflatable V-Keel:** Features an independently inflatable V-shaped keel chamber positioned between the floorboards and the outer bottom fabric. Once inflated, it shapes the bottom into a V-hull, significantly improving wave-cutting capabilities, tracking stability at speed, and preventing the boat from skidding sideways.

### **Multi-Chamber Tube Construction**

**Safety Standard:** Pontoon tubes generally feature a 3+1 (3 main chambers + 1 keel chamber) or 4+1 compartmentalized design. This ensures sufficient buoyancy to maintain safety even if one chamber is compromised.

### **Trim Tabs / Transom Extensions**

Select premium models incorporate integrated mini trim tabs or hull extensions below the transom to help the boat achieve quicker planing and minimize stern spray.



# Aluminum Floor Inflatable Boat



## Materials & Construction

**PVC Fabric:** The absolute dominant choice for global recreational, commercial, and mid-range markets (typically 0.9 mm–1.2 mm 1100 Denier polyester-supported fabric). Assembled using Hot-Air / High-Frequency Welding, offering high seam strength and efficient production.

**Hypalon (CSM) Fabric:** Preferred for high-end leisure, military/rescue operations, and environments with high salinity or intense UV exposure (e.g., the Middle East, Australia, the Mediterranean). Highly weather-resistant and crafted using traditional Cold Bonding (hand-gluing) techniques.

**Reinforced Bottoms & Armor Strakes:** Heavy-duty rubbing strakes and wear-resistant armor pads are applied along the keel and high-friction zones under the tubes to ensure durability during beach landings and towing.

Standard configuration: 1 pairs of aluminum alloy propellers, 1 pedal air pumps, Maintenance barrel, Boat bag, Seat plate

## Ergonomic & Utility Features

**Transom Protection Plate:** Constructed with marine plywood or high-density synthetic materials and fitted with aluminum or heavy-rubber motor pads on both sides to protect the transom from outboard engine clamps.

**Self-Bailing Drain Valve:** Standardized single-direction drain valves located at the base of the transom use Bernoulli's principle to rapidly flush water out of the cockpit while under way.

**Grab Lines & Handles:** All-around safety grab lines run along the top of the tubes, supplemented by multiple heavy-duty PVC or molded handles strategically placed for easy carrying and re-boarding from the water.

**Sliding Aluminum Seats:** Modern designs feature adjustable slide-rail seating, allowing users to position the benches freely according to cargo space or driving preference.

| Model       | total length | total width | gas chamber | straight cylinder | the largest manned number | maximum power HP |
|-------------|--------------|-------------|-------------|-------------------|---------------------------|------------------|
| AQDB-7'7"   | 7'7"/230CM   | 4'5"/135CM  | 3+1         | 1'2"/36CM         | 2                         | 6                |
| AQDB-8'2"   | 8'2"/250CM   | 4'5"/135CM  | 3+1         | 1'2"/36CM         | 3                         | 6                |
| AQDB-8'10"  | 8'10"/270CM  | 5'1"/155CM  | 3+1         | 1'5"/43CM         | 4                         | 10               |
| AQDB-9'10"  | 9'10"/300CM  | 5'1"/155CM  | 3+1         | 1'5"/43CM         | 4                         | 10               |
| AQDB-10'6"  | 10'6"/320CM  | 5'1"/155CM  | 3+1         | 1'5"/43CM         | 5                         | 15               |
| AQDB-10'10" | 10'10"/330CM | 5'1"/155CM  | 3+1         | 1'5"/43CM         | 5                         | 15               |
| AQDB-11'10" | 11'10"/360CM | 5'9"/175CM  | 3+1         | 1'6"/45CM         | 6                         | 25               |
| AQDB-12'6"  | 12'6"/380CM  | 5'9"/175CM  | 3+1         | 1'6"/45CM         | 6                         | 30               |
| AQDB-12'10" | 12'10"/390CM | 5'9"/175CM  | 3+1         | 1'6"/45CM         | 6                         | 30               |
| AQDB-13'1"  | 13'1"/400CM  | 6'7"/200CM  | 4+1         | 1'8"/50CM         | 8                         | 40               |
| AQDB-13'9"  | 13'9"/420CM  | 6'7"/200CM  | 4+1         | 1'8"/50CM         | 9                         | 40               |
| AQDB-14'1"  | 14'1"/430CM  | 6'7"/200CM  | 4+1         | 1'8"/50CM         | 9                         | 40               |
| AQDB-14'9"  | 14'9"/450CM  | 6'7"/200CM  | 4+1         | 1'8"/50CM         | 9                         | 50               |
| AQDB-15'5"  | 15'5"/470CM  | 6'7"/200CM  | 4+1         | 1'8"/50CM         | 10                        | 50               |
| AQDB-16'5"  | 16'5"/500CM  | 6'7"/200CM  | 4+1         | 1'8"/50CM         | 10                        | 60               |
| AQDB-17'5"  | 17'5"/530CM  | 6'7"/200CM  | 4+1         | 1'8"/50CM         | 12                        | 60               |
| AQDB-18'1"  | 18'1"/550CM  | 6'7"/200CM  | 4+1         | 1'8"/50CM         | 12                        | 80               |

Optional products: life jacket, electric pump, carbon steel anchor, seat plate package, Bow bag, simple trailer, boat cover



# High-Speed Inflatable Catamaran



The Solid Series (Minimalist & Professional): Clean, block-color presentations featuring crisp whites, sleek grays, or tactical blacks.

Engineered for ultimate velocity, stability, and versatility, our Inflatable Catamaran Boat series redefines high-performance watercraft. Featuring an advanced twin-hull catamaran design and an open-bow configuration, this boat cuts through waves with minimal drag while providing maximum lift and unparalleled stability. Constructed from heavy-duty, marine-grade PVC or premium Hypalon, it is the perfect multi-purpose vessel for competitive racing, elite surf rescue, marine exploration, and professional angling.

**High-Speed Catamaran Hull Construction:** The dual-sponson design naturally channels air under the hull, creating an aerodynamic cushion that reduces friction, maximizes fuel efficiency, and delivers blistering top speeds.



The Two-Tone Edition: High-contrast, multi-layer color block configurations (e.g., Deep Navy combined with Light Concrete Gray, or Charcoal and Racing Red accents)

| Model       | total length | total width | gas chamber | straight cylinder | the largest manned number | maximum power HP |
|-------------|--------------|-------------|-------------|-------------------|---------------------------|------------------|
| AQHB-10'10" | 10'10"/330CM | 6'7"/200CM  | 4+1         | 1'6"/45CM         | 4+1                       | 15               |
| AQHB-10'12" | 10'12"/335CM | 6'7"/200CM  | 4+1         | 1'6"/45CM         | 4+1                       | 15               |
| AQHB-11'2"  | 11'2"/340CM  | 6'7"/200CM  | 4+1         | 1'6"/45CM         | 4+1                       | 15               |
| AQHB-11'10" | 11'10"/360CM | 6'7"/200CM  | 4+1         | 1'6"/45CM         | 5+1                       | 25               |
| AQHB-12'6"  | 12'6"/380CM  | 6'7"/200CM  | 4+1         | 1'6"/45CM         | 6                         | 30               |
| AQHB-13'1"  | 13'1"/400CM  | 6'7"/200CM  | 4+1         | 1'8"/50CM         | 8                         | 40               |
| AQHB-13'5"  | 13'5"/410CM  | 6'7"/200CM  | 4+1         | 1'8"/50CM         | 8                         | 40               |
| AQHB-14'1"  | 14'1"/430CM  | 6'7"/200CM  | 4+1         | 1'8"/50CM         | 8+1                       | 40               |
| AQHB-14'9"  | 14'9"/450CM  | 6'7"/200CM  | 4+1         | 1'8"/50CM         | 9                         | 50               |
| AQHB-15'5"  | 15'5"/470CM  | 6'7"/200CM  | 4+1         | 1'8"/50CM         | 9+1                       | 50               |

Standard configuration: 1 pairs of aluminum alloy paddles , 1 pedal air pumps, Maintenance bucket, Boat bag, Two seat plates



# High-Speed Inflatable Catamaran



The Tactical Camouflage Series: Heavy-duty printed coatings featuring Classic Army Green, Slate-Blue Digital Tech, or sleek Monochrome Urban Camo. Equipped with anti-UV and scratch-resistant top coats.

**Keel-Less High-Stability Design:** Unlike traditional inflatables, the specialized catamaran architecture eliminates the need for an inflatable central keel. The twin outer hulls act as dual stabilizers, preventing body roll and offering razor-sharp tracking.

**Premium Rigid Drop-Stitch Air Floor:** Equipped with a high-pressure drop-stitch air deck that inflates to rock-hard rigidity. It provides a rock-solid standing platform while significantly reducing overall weight for effortless transport and enhanced acceleration.

**Functional Open-Bow Architecture:** The open bow design is engineered for seamless beach landings, easy boarding from the water, and rapid deployments, making it the top choice for international surf lifesaving and fast rescue teams.



The Racing Stripes & Accents Collection (High-Octane Velocity): Streamlined geometric patterns, sharp aerodynamic arrows, and dynamic "Speed Stripes" using high-saturation neon colorways





# Inflatable KaBoat



This inflatable KaBoat perfectly merges the high-speed performance and exceptional stability of a catamaran with the versatility and lightweight portability of a kayak/inflatable craft. It is engineered for users demanding top speed, maximum stability, and multi-scenario applications—ranging from recreational fishing and marine exploration to international surf lifesaving and fast rescue operations.

## High-Speed Catamaran Hull Construction

**Aerodynamic Air Cushion:** The specialized dual-sponson design naturally channels air under the hull, creating an aerodynamic cushion that reduces friction against the water.

**Maximized Efficiency:** Achieves blistering top speeds and superior fuel efficiency using smaller-horsepower outboard motors compared to traditional monohull inflatable boats.



**Keel-Free Innovation:** Unlike traditional inflatables, this catamaran structure eliminates the need for an inflatable central keel by utilizing twin outer hulls as primary stabilizers.

**Razor-Sharp Tracking:** The dual-hull configuration effectively eliminates body roll, providing exceptional stability in chop and precise, sharp tracking during high-speed turns.

|        | TOTAL        | TOTAL       | AIR     | TUBE      | MAX    | Max Power | GROSS      | MAX      |
|--------|--------------|-------------|---------|-----------|--------|-----------|------------|----------|
|        | LENGTH       | WIDTH       | CHAMBER | DIAMETER  | PERSON | (HP)      | WEIGHT(kg) | LOAD(kg) |
| AQ-370 | 12'2"/370CM  | 3'7"/108CM  | 2+1     | 1'1"/33CM | 2      | 2.5       | 33         | 260      |
| AQ-390 | 12'10"/390CM | 3'7"/108CM  | 2+1     | 1'1"/33CM | 3      | 5         | 35         | 270      |
| AQ-400 | 13'1"/400CM  | 3'7"/108CM  | 2+1     | 1'1"/33CM | 3+1    | 5         | 36         | 280      |
| AQ-420 | 13'9"/420CM  | 3'7"/108CM  | 2+1     | 1'1"/33CM | 4      | 7         | 38         | 300      |
| AQ-450 | 14'9"/450CM  | 3'7"/108CM  | 2+1     | 1'1"/33CM | 4+1    | 8         | 40         | 380      |
| AQ-470 | 15'5"/470CM  | 3'10"/117CM | 4+1     | 1'3"/37CM | 10     | 9.8       | 65         | 400      |
| AQ-548 | 17'12"/548CM | 4'6"/137CM  | 4+1     | 1'6"/46CM | 15     | 15        | 70         | 550      |

Standard configuration: Oars, Foot or hand pump, Repair kit, Carrying bag, Seat plate



# Inflatable Kaboat



## Functional Open-Bow Architecture

**Seamless Access:** The open-bow design is purpose-engineered for fast beach landings, easy reboarding from the water, and rapid equipment loading.

**Top Choice for Rescue Ops:** Widely adopted by international surf lifesaving teams, flood relief units, and rapid-response tactical teams.

**Premium Rigid Drop-Stitch Air Floor:** Equipped with a high-pressure drop-stitch air deck that inflates to ultra-high rigidity, allowing anglers and operators to stand, walk, and cast with total confidence.

**Lightweight & Effortless Transport:** Significantly reduces overall vessel weight compared to hard-bottom boats, making it easy to fold, store in a car trunk, and deploy rapidly by a single person.



## Target Applications

**Angling & Recreation:** A stable, mobile platform featuring 4 rod mounts and a rigid drop-stitch floor for stand-up casting.

**Search & Rescue (SAR):** Purpose-built open bow for rapid deployment and easy retrieval of personnel from the water.

**Marine Exploration & Water Sports:** Handles shallow waters, rivers, and coastal waves with ease thanks to its high-clearance catamaran hull and splash guard.

## Functional Details & Standard Accessories

**4 Multi-Position Rod Holders:** Factory-fitted with 4 heavy-duty adjustable fishing rod mounts, providing flexible angles for trolling and hands-free fishing.

**Dual Aluminum Bench Seats:** Includes 2 removable, high-strength aluminum seats that enhance structural rigidity while allowing customizable seating positions.

**Bow Splash Guard:** Features a durable, blue heavy-duty fabric bow cover with tension tie-downs to deflect head waves and keep the cockpit dry.

**Rugged Marine Hardware:** Outfitted with perimeter safety grab lines, ergonomic molded carrying handles, and heavy-duty side rubbing strakes for all-around protection against abrasion.



# Full Drop-Stitch Inflatable Kayak



Full Drop-Stitch Inflatable Kayaks utilize high-pressure drop-stitch panels for both the sidewalls and the floor, their dimensional designs closely mirror those of traditional hard-shell kayaks.

## **Integrated Dual Carrying Handles:**

Both bow and stern feature compact, rubberized hard handles fitted flush to the nose cones, offering easy transport without interrupting the sleek, hydro-dynamic entry lines of the hull.

## **Structural & Dynamic Features** **Flat-panel Vertical Sidewalls:**

By utilizing high-pressure drop-stitch panels for the side walls instead of traditional round air tubes, the sides are rendered remarkably flat and rigid. From both top and side profiles, the hull line appears clean, crisp, and streamlined without any inflated bulges, giving the kayak exceptional structural rigidity.

## **V-Shaped Molded Bow & Stern Cones:**

Both the bow and stern are fitted with hard polyurethane protective nose caps, creating a sharp V-shaped profile designed to slice through water efficiently. This not only protects the hull during impacts on shallow beaches or rocks but also significantly enhances hydrodynamic displacement and visual tracking performance.

## **Functional Details & Accessory Integration**

### **Low-Profile Embedded Bow Bungee System:**

The criss-cross elastic bungee system mounts directly onto D-rings flush with the flat drop-stitch deck, eliminating bulky protrusions, minimizing wind resistance, and maintaining a clean profile.

### **Ergonomic Seating & Streamlined Rigging:**

Equipped with high-back professional kayak seats, the mounting points are neatly integrated inside the deep drop-stitch side walls. This keeps the overall appearance unified and free of cluttered external attachments.



| Category / Model                   | Length                    | Width    | Side Height / Depth | Max Payload |
|------------------------------------|---------------------------|----------|---------------------|-------------|
| Single-Person Performance (1P)     | 380–390 cm (12'5"–12'10") | 70–80 cm | 25–30 cm            | 150–180 kg  |
| Tandem Performance (2P)            | 420–430 cm (13'9"–14'1")  | 80–88 cm | 30–35 cm            | 220–280 kg  |
| Extended Tandem / Expedition (2+1) | 470–485 cm (15'5"–15'11") | 85–92 cm | 32–38 cm            | 300–350 kg  |

Size Note: The Tandem Performance (2P) (e.g., pictured model) shown in the image belongs to the standard 425 cm (13'11") tandem touring class, with a width of approximately 86 cm (34"), offering an optimal balance of speed, stability, and cockpit volume.



# Hybrid Inflatable Kayak



Due to its high stability, rigid drop-stitch floor, multi-person payload capacity (1–3 persons), and easy portability, this Hybrid Drop-Stitch Inflatable Kayak is widely used across various recreational and commercial maritime sectors

## Structural & Dynamic Features Hybrid Air Chamber Configuration (V-Hull Profile):

Utilizes a classic "outer tube + recessed cockpit" layout. The thick PVC/Hypalon side tubes create a protective inner space, effectively deflecting side splashes while boosting secondary stability and anti-capsizing capability.

## Symmetrical V-Bow & Stern Profile:

Both bow and stern feature a sharp, streamlined V-shape designed to slice through water efficiently, reducing drag and improving straight-line tracking.

## Splash Deck & Deck Bungee System:

The bow is fitted with a protective splash deck featuring a criss-cross bungee cargo net, allowing paddlers to secure dry bags, life vests, or essential gear.

## Functional Details & Accessory Integration

### Strategic Multi-Handle Placement:

Equipped with heavy-duty reinforced webbed handles at the bow, stern, and side tubes. This facilitates easy multi-person carrying (1–3 people) and provides reliable handholds for re-entry from the water.

### Modular Drop-Stitch Floor:

The cockpit floor utilizes high-pressure Drop-Stitch technology (same as SUP boards) to deliver a rigid, flat standing deck. Designed to be removable, it significantly simplifies post-use cleaning, drying, and compact folding.

### Ergonomic High-Pressure Valve Positioning:

Equipped with secure dust-capped air valves located internally for easy accessibility, ensuring smooth inflation/deflation without interfering with seating comfort.



THE TOP VIEW



SIDE VIEW



UNDERSIDE (BACK) VIEW

Side Tube Diameter: 20–25 cm  
(larger tube diameters provide better spray protection and secondary stability).

Drop-Stitch Floor Thickness:  
Commonly 7 cm or 10 cm (a 10 cm floor offers higher rigidity, greater displacement, and a more solid foot feel).

Fabric Material: Side tubes and bottom hull are typically constructed from 0.7 mm–0.9 mm 1000D heavy-duty PVC mesh (or Hypalon for premium configurations).

| Model / Category             | Length                       | Width     | Cockpit Depth | Max Payload |
|------------------------------|------------------------------|-----------|---------------|-------------|
| Single-Person (1P)           | 300–330 cm<br>(9'10"–10'10") | 75–85 cm  | ~35–40 cm     | 120–150 kg  |
| Tandem / Hybrid (1–2P / 2+1) | 380–410 cm<br>(12'5"–13'5")  | 85–95 cm  | ~40–45 cm     | 200–250 kg  |
| Three-Person / Large (3P)    | 420–480 cm<br>(13'9"–15'9")  | 90–100 cm | ~45 cm        | 260–320 kg  |





# Inflatable Rafts



**Worry-Free Armor Protection:** Equipped with a thick, matte black or dark gray Heavy-Duty Rubbing Strake along the waterline. This dual-purpose design perfectly masks inevitable muddy river stains, moss, and dock scuffs, while protecting the core tubes from side impacts during "bumper boat" tourist collisions.

**The Anti-UV Heat Shield:** The light gray/white hull base isn't just for looks—it significantly slows down solar heat absorption compared to dark hulls, reducing the risk of over-inflation or seam failure during long hours of exposure under the mid-summer sun.

| Model        | total length | total width | Cylinder diameter | inner length | inner width | Maximum manned number |
|--------------|--------------|-------------|-------------------|--------------|-------------|-----------------------|
| AQDRB-10'6"  | 10'6"/320CM  | 5'4"/162CM  | 1'5"/42CM         | 8'4"/253CM   | 2'7"/78CM   | 4                     |
| AQDRB-11'10" | 11'10"/360CM | 6'4"/192CM  | 1'6"/46CM         | 9'5"/286CM   | 3'3"/98CM   | 6                     |
| AQDRB-12'6"  | 12'6"/380CM  | 6'4"/192CM  | 1'6"/46CM         | 9'6"/290CM   | 3'3"/98CM   | 7                     |
| AQDRB-13'1"  | 13'1"/400CM  | 6'9"/205CM  | 1'8"/50CM         | 9'10"/300CM  | 3'5"/105CM  | 7+1                   |
| AQDRB-13'5"  | 13'5"/410CM  | 6'9"/205CM  | 1'8"/50CM         | 10'2"/310CM  | 3'5"/105CM  | 8                     |
| AQDRB-13'9"  | 13'9"/420CM  | 6'9"/205CM  | 1'8"/50CM         | 10'6"/320CM  | 3'5"/105CM  | 8+1                   |
| AQDRB-14'1"  | 14'1"/430CM  | 6'9"/205CM  | 1'8"/50CM         | 10'10"/330CM | 3'5"/105CM  | 9                     |
| AQDRB-16'1"  | 16'1"/490CM  | 6'9"/205CM  | 1'8"/50CM         | 12'10"/390CM | 3'5"/105CM  | 12                    |



**Rapid-Evacuation Self-Bailing System:** Featuring our latest raised I-Beam Inflatable Floor. When heavy rapids crash into the boat, the floor's immense buoyancy forces water to the edges, evacuating it through the perimeter bailing holes within seconds. No manual bucketing required—keeping your crew high, dry, and responsive.

**Flat-Bottom Zero-Keel Agility:** Engineered purely as a flat-bottom raft without an inflatable keel, ensuring a shallow draft that glides effortlessly over hidden shoals and riverbeds. This allows for instant, precise 360-degree pivot maneuvers in tight, rock-strewn rapid channels where a V-hull would stall or flip.


**Hard-Shell Feel via Drop-Stitch Floor Upgrades:** For clients who demand rock-solid standing stability for casting fly rods, the floor can be upgraded to a high-pressure Drop-Stitch Air Deck (\$10\text{--}15\text{ psi}\$). It provides the rigid feel of an aluminum floorboard without adding dead weight or risking sharp metal punctures during heavy impacts with river rocks.



**Frame-Ready Modular Design:** While remaining entirely inflatable, responsive, and easy to pack into an SUV trunk, this raft's rigid perimeter tubes are fully optimized to lock in an aftermarket Aluminum Fishing/Rowing Frame. You can easily mount swivel seats, anchor systems, and coolers, turning a whitewater beast into a luxury drift boat.



# Inflatable Drop-Stitch Boat Seat



Engineered for premium inflatable kayaks, Stand-Up Paddleboards (SUPs), and customized river rafts, this commercial-grade seat completely redefines on-water seating. By merging the rock-solid stability of drop-stitch technology with an ergonomic, adjustable backrest design, it offers a premium, versatile upgrade that addresses the core demands of both recreational paddlers and hardcore anglers.



**High-Pressure Drop-Stitch Core:** Unlike traditional foam or low-pressure PVC seats that sag under weight, the base cushion is constructed from high-density drop-stitch fabric. It can be safely inflated up to  $10\text{ psi}$ , providing a rock-solid, wood-like rigid platform that prevents pelvic fatigue during long hours of paddling.

**Diamond-Grid Anti-Slip Texture:** The top surface features a premium, heat-pressed light gray diamond-grid EVA traction pad. This high-friction texture ensures that the paddler remains securely positioned and entirely slip-free, even when completely drenched by rapids or saltwater spray.

**Commercial Durability:** Built with heavy-duty, UV-resistant PVC and reinforced webbing patches. It can handle the relentless daily wear-and-tear of commercial eco-tours, heavy clients, and harsh sun exposure without seam degradation or dropping air pressure.

**Universal 4-Point Tie-Down System:** Equipped with 4 heavy-duty, adjustable nylon webbing straps and marine-grade stainless steel snap hooks. This universal configuration secures the seat firmly to the deck D-rings of nearly any inflatable watercraft on the market.



Thanks to the universal 4-point adjustable webbing and heavy-duty snap hooks, this drop-stitch seat is fully compatible with 95% of inflatable kayaks and SUPs on the market. It allows retailers to sell it as a premium standalone upgrade for any custom rig, not just limiting it to a single boat model.

**Commercial-Grade Aesthetics:** Designed in a clean, modern Two-Tone Palette (Matte White sides & Slate Gray top) with flawless, thermo-welded seams. It delivers a high-end, clean aesthetic that perfectly matches premium yacht tenders, expedition kayaks, and professional rental fleets.

# Aquafarer in the Market

Engineering-focused marine recreation brand combining inflatable manufacturing expertise with OEM/ODM capability, custom solutions, and deep manufacturing experience.

## Strengths

Inflatable watercraft engineering expertise

Full OEM/ODM manufacturing capability

Custom product development and design

12,000 m<sup>2</sup> ISO 9001 certified production facility







## **Best For**

Outdoor recreation users seeking reliable inflatable watercraft

Marine operators requiring commercial-grade equipment

Brand partners needing OEM/ODM manufacturing

Professional rescue and patrol organizations



**Aquafarer**

**Qingdao Vatrada Group Co., Ltd**

**Address: Economic Development Zone, Laixi,  
Qingdao, China, 266600**

**E-mail: [info@aquafarer.com](mailto:info@aquafarer.com)**

**Web: [www.aquafarer.com](http://www.aquafarer.com)**

**Phone/Whatsapp: +86 13305324192**